NOTICE TO CALIFORNIA COMMERCIAL FISHERMEN AND PROCESSORS

2005 Federal Groundfish Management Measures that Affect Fishermen in Federal and State Waters off California

FIXED GEAR

LIMITED ENTRY

July - August

Rockfish Conservation	Area (RCA) ^{6/} :			
orth of 46°16' N. lat.	shoreline - 100 fm	40°	10' - 34°27' N. lat.	20 fm - 150 fm
6°16' N. lat 40°10' N. lat.	30 fm - 100 fm	South of 34°27' N. lat.		60 fm - 150 fm
See § 660.390 - § 660	D and § 660.381 for Additional Gear, Trip L .394 for Conservation Area Descriptions a (s). State trip limits may be more restrictiv	nd Co	ordinates (including RCAs, YRCA, C	CAs, Farallon Islands, and
	JULY - AUGUST			JULY - AUGUST
orth of 40 10'		Sou	th of 40 10'	
Minor slope rockfish ^{2/} & Darkblotched rockfish	4,000 lb/ 2 months	1	Minor slope rockfish ^{2/} & Darkblotched rockfish	40,000 lb/ 2 months
Pacific ocean perch	1,800 lb/ 2 months	2	Splitnose	40,000 lb/ 2 months
Sablefish	300 lb/ day, or 1 landing per week of up to	3	Sablefish	
	900 lb, not to exceed 3,600 lb/ 2 months	4	40°10' - 36° N. lat.	300 lb/ day, or 1 landing per week of up 900 lb, not to exceed 3,600 lb/ 2 month
		5	South of 36° N. lat.	350 lb/ day, or 1 landing per week of up 1,050 lb
Longspine thornyhead	10,000 lb/ 2 months	6	Longspine thornyhead	10,000 lb / 2 months
Shortspine thornyhead	2,000 lb/ 2 months	7	Shortspine thornyhead	2,000 lb/ 2 months
Dover sole	5,000 lb/ month South of 42° N. lat., when	8	Dover sole	5,000 lb/ month
Arrowtooth flounder	fishing for "other flatfish," vessels using hook-and-line gear with no more than 12		Arrowtooth flounder	When fishing for "other flatfish," vesse using hook-and-line gear with no more
Petrale sole	hooks per line, using hooks no larger than "Number 2" hooks, which measure 11 mm	7//	Petrale sole	than 12 hooks per line, using hooks no larger than "Number 2" hooks, which
English sole	(0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weight per line are not subject	11	English sole	measure 11 mm (0.44 inches) point to shank, and up to 1 lb (0.45 kg) of weigl
Other flatfish ^{1/}	to the RCAs.	12	Other flatfish ^{1/}	per line are not subject to the RCAs.
Whiting	10,000 lb/ trip	13	Whiting	10,000 lb/ trip
Minor shelf rockfish ^{2/} , Shortbelly, Widow, & Yellowtail rockfish	200 lb/ month	14	Minor shelf rockfish ^{2/} , Shortbelly, & Widow rockfish	
		15	40°10' - 34°27' N. lat.	200 lb/ 2 months
		16	South of 34°27' N. lat.	3,000 lb/ 2 months
		17	Chilipepper rockfish	2,000 lb/ 2 months, this opportunity on available seaward of the nontrawl RC/
Canary rockfish	CLOSED	18	Canary rockfish	CLOSED
Yelloweye rockfish	CLOSED		Yelloweye rockfish	CLOSED
		20	Cowcod	CLOSED
		21	Bocaccio	
		22	40°10' - 34°27' N. lat.	300 lb/ 2 months
		23	South of 34°27' N. lat.	300 lb/ 2 months
Minor nearshore rockfish & Black rockfish	State Permit Required	24	Minor nearshore rockfish & Black rockfish	State Permit Required
	6,000 lb/ 2 months, no more than	25	Shallow nearshore	600 lb/ 2 months
	1,200 lb of which may be species	26	Deeper nearshore	
	other than black or blue rockfish ^{3/}	27	-	500 lb/ 2 months
		28	South of 34°27' N. lat.	600 lb/ 2 months

		29	California scorpionfish	400 lb/ 2 months
Lingcod ^{4/}	800 lb/ 2 months	30	Lingcod ^{4/}	800 lb/ 2 months
Other fish ^{5/} & Pacific cod	Not limited	31	Other fish ^{5/} & Cabezon	Not limited

- 1/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.
- 2/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish North of 40 10' N Latitude. POP is included in the trip limits for minor slope rockfish and yellowtail is included in the trip limits for minor shelf rockfish South of 40 10' N Latitude.
- 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 4/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
- 5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

 Cabezon is included in the trip limits for "other fish." See state regulations for permit requirements and trip limits.
- 6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

State cumulative trip limits for cabezon, greenlings, and California sheephead (includes all gears, statewide)*

	Jul/Aug	Minimum Size limits
Cabezon	150	15 in (TL)
Greenlings	25	12 in (TL)
Sheephead	2,400	13 in (TL)

* CGS fisheries will close if the allocation amounts are reached.



If you have any questions about these regulations, please contact either:

Mike Fukushima, Eureka @ (707)441-5797, Brenda Erwin, Belmont @ (650)631-6740

Susan Ashcraft, Belmont @ (650) 631-6786, or Steve Wertz, Los Alamitos @ (562)342-7184.

For updates check out PFMC's web page @ www.pcouncil.org or for NMFS NW Region

http://www.nwr.noaa.gov/1press/sfdpress.htm http://www.dfg.ca.gov/mrd/index_regs.html California Department of Fish and Game – Marine Region

NOTICE TO CALIFORNIA COMMERCIAL FISHERMEN AND PROCESSORS

2005 Federal Groundfish Management Measures that Affect Fishermen in Federal and State Waters off California

NON-TRAWL

OPEN ACCESS

July - August

				-	
Rockfish Conservatio	n Area (RCA) ^{6/} :				
North of 46°16' N. lat.	shoreline - 100 fm	40°10' - 34°27' N. lat.		20 fm - 150 fm	
46°16' N. lat 40°10' N. lat.	30 fm - 100 fm	South of 34°27' N. lat.		60 fm - 150 fm	
See § 660.390 - § 660.394 for	0.381 for Additional Gear, Trip Lir Conservation Area Descriptions te trip limits may be more restricti	and	Coordinates (including RCAs,	YRCA, CCAs, Farallon Islands,	
	JULY - AUGUST			JULY - AUGUST	
North of 40 10'		Sou	uth of 40 10'		
Minor slope rockfish ^{1/} & Darkblotched rockfish	Per trip, no more than 25% of weight of the sablefish landed	1	Minor slope rockfish ^{1/} & Darkblotched rockfish		
Pacific ocean perch	100 lb/ month	2	40°10' - 38° N. lat.	Per trip, no more than 25% of weight of the sablefish landed	
		3	South of 38° N. lat.	10,000 lb/ 2 months	
		4	Splitnose	200 lb/ month	
Sablefish	300 lb/ day, or 1 landing per	5	Sablefish		
	week of up to 900 lb, not to exceed 3,600 lb/ 2 months	6	40°10' - 36° N. lat.	300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 3,600 lb/ 2 months	
		7	South of 36° N. lat.	350 lb/ day, or 1 landing per week of up to 1,050 lb	
Thornyheads	CLOSED	8	Thornyheads		
		9	40°10' - 34°27' N. lat.	CLOSED	
		10	South of 34°27' N. lat.	50 lb/ day, no more than 1,000 lb/ 2 months	
Dover sole		11	Dover sole		
Arrowtooth flounder	3,000 lb/month, no more than 300 lb of which may be species other than	12	Arrowtooth flounder	3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. When fishing for	
Petrale sole	Pacific sanddabs. South of 42° N. lat., when fishing for "other flatfish,"	13	Petrale sole	"other flatfish," vessels using hook-	
English sole	vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2"			and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 1	
Other flatfish ^{2/}	-	15	Other flatfish ^{2/}		
Whiting	300 lb/ month		Whiting	300 lb/ month	
Minor shelf rockfish ^{1/} , Shortbelly, Widow, & Yellowtail rockfish	200 lb/ month.		Minor shelf rockfish ^{1/} , Shortbelly, Widow & Chilipepper rockfish		
	Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both	18		200 lb/ 2 months	
	within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit	19	South of 34°27' N. lat.	750 lb/ 2 months	

20 Canary rockfish

CLOSED

limit.

CLOSED

Canary rockfish

Yelloweye rockfish	CLOSED	21	Yelloweye rockfish	CLOSED
		22	Bocaccio	
		23	40°10' - 34°27' N. lat.	100 lb/ 2 months
		24	South of 34°27' N. lat.	100 lb/ 2 months
Minor nearshore rockfish & Black rockfish	State Permit Required	25	Minor nearshore rockfish & Black rockfish	State Permit Required
	6,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black or blue rockfish ^{3/}	27	Shallow nearshore	600 lb/ 2 months
			Deeper nearshore	
			40°10' - 34°27' N. lat.	500 lb/ 2 months
		29	South of 34°27' N. lat.	600 lb/ 2 months
		30	California scorpionfish	400 lb/ 2 months
Lingcod ^{4/}	300 lb/ month	31	Lingcod ^{4/}	300 lb/ month
Other Fish ^{5/} & Pacific cod	Not limited	32	Other Fish ^{5/} & Cabezon	Not limited

- 1/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish North of 40 10' N Latitude. POP is included in the trip limits for minor slope rockfish and yellowtail is included in the trip limits for minor shelf rockfish South of 40 10' N Latitude.
- 2/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.
- 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 4/ The size limit for lingcod is 24 inches (61 cm) total length.
- 5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

 Cabezon is included in the trip limits for "other fish." See state regulations for permit requirements and trip limits. Refer to Title 14, CCR, Section 150.16
- 6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

State cumulative trip limits for cabezon, greenlings, and California sheephead (includes all gears, statewide)*

	Jul/Aug	Minimum Size limits
Cabezon	150	15 in (TL)
Greenlings	25	12 in (TL)
Sheephead	2,400	13 in (TL)

*CGS fisheries will close if the allocation amounts are reached.



If you have any questions about these regulations, please contact either:

Mike Fukushima, Eureka @ (707)441-5797, Brenda Erwin, Belmont @ (650)631-6740

Susan Ashcraft, Belmont @ (650) 631-6786, or Steve Wertz, Los Alamitos @ (562)342-7184.

For updates check out PFMC's web page @ www.pcouncil.org or for NMFS NW Region

http://www.nwr.noaa.gov/1press/sfdpress.htm http://www.dfg.ca.gov/mrd/index_regs.html California Department of Fish and Game – Marine Region